



CIXI JINGYANG HARDWARE





慈溪市靖扬金属制品有限公司

CIXI JINGYANG HARDWARE PRODUCTS CO.,LTD

靖扬金属是集设计、研发、生产、销售于一体，是中国接头&喉箍产品最齐全的专业厂家之一，余慈地区最大的接头厂家之一。公司出口十余年，产品远销海内外，进入欧美高端市场，深受广大客户好评，质量可靠，信誉保证。

我司专业生产如下产品：

快速接头扳把式Camlock Coupling: 材质：铝合金，黄铜，不锈钢，塑料PP,尼龙,铸铁；尺寸：1/2"到8",10",12"；型号：ABCDEFGHIJDCDP 以及各类异型异径接头。

喉箍 Hose Clamps: 款式有：德式，美式，欧式强力（单头/双头，空心/实心），英式，T型，V型沟槽，老虎夹，联胶条等；材质有：铁镀锌，半钢，全钢（不锈钢）；尺寸齐全，并可根据客户来图来样加工设计。

空气管接头/万用接头 Air hose coupling:: 款式：欧式，美式。材质：碳钢，玛钢。尺寸：1/4"到2"。SL 管束 Double Bolt Hose Clamp：尺寸：SL 22 到 SL 1450。

KC Nipple & Hose Mender 农业接头：材质：铁镀锌，不锈钢，黄铜，铝合金。尺寸：1/2"到12"。

法式接头Guillemin Coupling

德式接头Storz Coupling

布尔接头Bauer Coupling



Our factory is located in Cixi, Ningbo
Ningbo sea port.

Our products includes:

Camlock quick coupling (material :Alu

Guillemin Coupling;

Air Hose Coupling;

Storz coupling;

Bauer coupling;

Pin Lug Coupling;

Sandblast Coupling;

Hose clamp and other hardware parts;

Aimed on "living by quality and devel
countries, especially USA, Middle East



JINGYANG

- Aluminium Camlock Quick Coupling
- Stainless Steel Camlock Quick Coupling
- Brass Camlock Quick Coupling
- PP Camlock Quick Coupling
- Nylon Camlock Quick Coupling
- Camlock Reducer
- Guillemín Quick Coupling
- Air Hose Coupling
- Geka Coupling
- Storz Coupling
- Hose Clamp
- Special Coupling



ALUMINIUM CAMLOCK QUICK COUPLING

Type A

Male Adapter X Female	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	
12"	



Type C

Female Coupler X Hose Shank	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	
12"	



Type E

Male Adapter X Hose	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	



Type B

Female Coupler X Male	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	
12"	



Type D

Female Coupler X Female	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	
12"	



Type F

Male Adapter X Male	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	



STAINLESS STEEL CAMLOCK

Type A

Male Adapter X Female	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	



Type C

Female Coupler X Hose Shank	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	



Type E

Male Adapter X Hose	
SIZE	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	



BRASS CAMLOCK QUICK COUPLING

Type A

Male Adapter X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



Type E

Male Adapter X Hose

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



Type B

Female Coupler X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



Type D

Female Coupler X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



Type F

Male Adapter X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



PP CAMLOCK QUICK COUPLING

Type A

Male Adapter X Female

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"

Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"

Type E

Male Adapter X Hose

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"

NYLON CAMLOCK QUICK COUPLING

▶ Type A

Male Adapter X Female

SIZE
1/2"
3/4"×1/2"
3/4"
1"
1-1/4"
1-1/4"×1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



▶ Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4"×1/2"
3/4"
1"
1-1/4"
1-1/4"×1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



▶ Type E

Male Adapter X Hose

SIZE
1/2"
3/4"×1/2"
3/4"
1"
1-1/4"
1-1/4"×1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



▶ Type B

Female Coupler X Male

SIZE
1/2"
3/4"×1/2"
3/4"
1"
1-1/4"
1-1/4"×1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



▶ Type D

Female Coupler X Female

SIZE
1/2"
3/4"×1/2"
3/4"
1"
1-1/4"
1-1/4"×1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



▶ Type F

Male Adapter X Male

SIZE
1/2"
3/4"×1/2"
3/4"
1"
1-1/4"
1-1/4"×1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



CAMLOCK REDUCER(MATERIAL)

AR Male Adapter X Female

SIZE
A2015
A2030
A3020
A3025
A3040
A4030
A4060
A6040



DD Female Coupler X Female Coupler

SIZE
DD150
DD200
DD2030
DD300
DD3040
DD400



FR Male Adapter X Male

SIZE
F2015
F3015
F3020
F3040
F2030
F4020



CAMLOCK REDUCER(MATERIAL:ALUMINIUM)

ER Male Adapter X Hose

SIZE
E2015
E2520
E2030
E3020
E3025
E3040
E4020
E4025
E4030



Camlock Reducer-Full Set

API Coupling

SIZE
6X2-1/2"
6X3"
6X4"



Special Camlock C+E

Camlock With Flange

SIZE
2"
2-1/2"
3"
4"
5"
6"
8"



PP Special Camlock

GUILLEMIN QUICK COUPLING

Hose Tall With Latch

SIZE
1-1/2"
2"
2-1/2"
3"
4"



Male Without Latch

SIZE
1-1/2"
2"
2-1/2"
3"
4"



Reducer

SIZE
2"x 1-1/2"
2-1/2" x 1-1/2"
2-1/2" x 2"
3" x 1-1/2"
3" x 2"
3" x 2-1/2"
4" x 1-1/2"
4" x 2"
4" x 2-1/2"
4" x 3"



Male With Latch

SIZE
1-1/2"
2"
2-1/2"



AIR HOSE COUPLING (U.S.TYPE)

Universal Hose End



Material: Carbon Steel or Malleable Iron	
SIZE	1/4"
	3/8"
	1/2"
	3/4"
1"	

Universal Hose End - Four Lug



Material: Carbon Steel or Malleable Iron	
SIZE	1-1/4"
	1-1/2"
	2"

Universal Male End



Material: Carbon Steel or Malleable Iron	
SIZE	1/4"
	3/8"
	1/2"
	3/4"
1"	

Universal Male End - Four Lug



Material: Carbon Steel or Malleable Iron	
SIZE	1-1/4"
	1-1/2"
	2"

Universal Female End



Material: Carbon Steel or Malleable Iron	
SIZE	1/4"
	3/8"
	1/2"
	3/4"
1"	

Universal Female End - Four Lug



Material: Carbon Steel or Malleable Iron	
SIZE	1-1/4"
	1-1/2"
	2"

AIR HOSE COUPLING (EUROPEAN TYPE)

Universal Hose End



Universal Male End



Universal Female End



GEKA COUPLING (BRASS)

Hose End



Male End



Material:BRASS	
SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
1-1/2"	

Material:BRASS	
SIZE	

2 & 4 Bolt Clamp



STORZ COUPLING (ALUMINIUM)

Female	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	



Male	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	



Hose End	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	



Sealed Cap	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	



TW -Coupling (DIN28450)

Material:BRASS / SS / ALUMINIUM



HOSE CLAMP



HOSE CLAMP

Double-bolt Clamp



Size	Clamp Range (Min)	Clamp Range (Max)
SL-22	2 1/32"	7/8"
SL-29	7/8"	1-9/64"
SL-34	1-5/32"	1-11/32"
SL-40	1-5/16"	1-19/32"
SL-49	1-5/8"	1-15/16"
SL-60	1-7/8"	2-3/8"
SL-76	2-3/8"	3-7/16"
SL-94	3-1/2"	3-11/16"
SL-115	3-3/4"	4-1/2"
SL-400	3-1/2"	4"
SL-463	4-1/16"	4-5/8"
SL-525	4-11/16"	5-1/4"
SL-550	5"	5-1/2"
SL-600	5-5/16"	6-1/6"
SL-675	6-1/8"	6-7/8"
SL-769	6-15/16"	7-5/8"
SL-818	7-11/16"	8-3/16"
SL-875	8-1/4"	8-7/8"
SL-988	8-15/16"	9-7/8"
SL-1125	9-15/16"	11-3/8"
SL-1275	11-3/16"	13"

Spiral Clamp

Material: Steel (Plated Zn)	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	
8"	
10"	
12"	



Safety Clamp

Material: SS Or Aluminium	
5213(13*5)	
5219(19*6)	
5225(25*6)	
5232(32*6)	
5238(38*6.5)	
5240(40*7)	
5250(50*5)	
5250(50*8)	
5250(50*10)	
5263(63*6)	
5263(63*8)	
5275(75*7.5)	



SPECIAL COUPLING

Aluminium Camlock 90 Elbow

SIZE	
1"	
1-1/4"	
1-1/2"	
2"	
3"	
4"	



SS CAMLOCK(EN14420-7/DIN

A

SIZE	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	



D

SANDBLAST COUPLING

Q	
SIZE	
Q-IM	
Q-1	
Q-2	
Q-3	



HE	
SIZE	
HE-1	
HE-2	
HE-3	



Strainer	
Material:Galvanized Steel	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
6"	
8"	



MHE	
SIZE	
MHE-IM	
MHE-1	
MHE-2	
MHE-3	



SB	



Ground Joint Coupling	
Material:Galvanized Steel	
1/2"	
3/4"	
1"	
1-1/4"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	



CAMLOCK ACCESSORIES

Storz Gasket	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	



Guillemin Gasket	
SIZE	
1-1/2"	
2"	
2-1/2"	
3"	
4"	



Pin	
Material:STAINLESS STEEL / CARBON STEEL	
3/4"	
1"	
2"	
3"	
6"	



BAUER COUPLING

Bauer Coupling

SIZE
2"
3"
4"
6"
8"
10"
12"

SIZE
2"
3"
4"
6"
8"
10"
12"



SIZE
2"
3"
4"
5"
6"
8"



Miller Bauer Coupling

SIZE
2"
3"
4"
6"
8"
10"
12"



Bauer Coupling With Thread

SIZE
2"
3"
4"
6"
8"
10"
12"



Water Gun



Bauer Coupling With Flange

SIZE
2"
3"
4"
6"
8"
10"
12"



Bauer Coupling With Nipple

SIZE
2"
3"
4"
6"
8"
10"
12"



PP Guillemin Coupling-Male With Latch

SIZE
1-1/2"
2"
2-1/2"
3"
4"



OTHER COUPLING

Heavy Duty King Nipple

SIZE
2"
3"
4"
5"
6"
8"

